



ALPENCO SAF-T-GUIDER™



Greatly minimize the risk of serious hand injuries with the Alpenco Saf-T-Guider™. The Push/Pull, lightweight tool is used for the hands-free guiding and directing of heavy crane and fork lift loads. Made with an Ash Hard Wood pole with a serrated cast Aluminum head for ease of arm extension during long reaches. The 18" and 24" models can be carried on your tool belt for quick access and weighs under 2 lbs. **Sizes:** 18", 24", 36", 48", 72", 96", and 120"(special order)

Two styles heads (seen below).

Manufactured by: PENDERGAST SAFETY EQUIPMENT CO.

8400 ENTERPRISE AVE, PHILADELPHIA, PA 19153

PH: (215)937-1900 Toll Free: 800-551-1901

WWW.ALPENCO.COM

Part # AL ASG-__ (size)



Diameter: 1 1/8"

Ash Wood Pole with dipped sand grip finish
"S" Shaped Serrated Aluminum Cast Head for
Pushing and Pulling

Sold by: Each Box quantity: 6 EA

Part # AL ASG-__-7710 (size)



Diameter: 1 1/8"

Ash Wood Pole with dipped sand grip finish
Special "C" shaped head for the grabbing and
guiding / pushing and pulling of cables.

Sold by: Each Box quantity: 6 EA

The Ash wood is very strong but light which allows the user to extend the pole outward. Also the Ash wood will not splinter if it breaks. **Remember these poles are for pushing and pulling in place of your hand and arm, they are not crow bars for prying.** The aluminum head will pull/break off the pole at approximately 300 lbs of pulling/pushing force. If they do snap, it's a soft and non-violent break without splintering.

- *It is recommended that an employee is completely under control and balanced when guiding.
- *It is **NOT** recommended for an employee to use their maximum force to push/pull, the pole is intended for guiding **ONLY**.

Manufactured by: PENDERGAST SAFETY EQUIPMENT CO.

8400 ENTERPRISE AVE, PHILADELPHIA, PA 19153


PH: (215)937-1900 Toll Free: 800-551-1901

WWW.ALPENCO.COM

NEW

AL ASG-XT-612

EXTENDABLE ALPENCO SAF-T-GUIDER™



Sold by: Each

Box quantity: 4 EA

The AL ASG-XT-612 is an utility pole that is 6ft long when fully collapsed and extends up to 12ft in 6" increments. The main pole is constructed of heavy duty fiber glass with a high strength square aluminum internal extending pole. The aluminum pole is equipped with the patent pending Jiffy-Lock™ system. The Jiffy-Lock system allows the pole to be adjusted in 6" increments and is push/pull tested up to 175 lbs. **Remember these poles are for pushing and pulling in place of your hand and arm, they are not crow bars for prying.** The aluminum head will pull/break off the pole at approximately 300 lbs of pushing/pulling force. If they do snap, it's a soft and non-violent break.

*It is recommended that an employee is completely under control and balanced when operating.

*It is **NOT** recommended for an employee to use their maximum force to push/pull the pole.

Manufactured by: PENDERGAST SAFETY EQUIPMENT CO.

8400 ENTERPRISE AVE, PHILADELPHIA, PA 19153

PH: (215)937-1900 Toll Free: 800-551-1901

WWW.ALPENCO.COM